

# Refine Search

Search Results -

Terms	Documents
viscosified brine and L1	0

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L14

Refine Search

Recall Text

Clear

Interrupt

## Search History

DATE: Thursday, March 03, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L14</u>	viscosified brine and l1	0	<u>L14</u>
<u>L13</u>	sustained casing annulus pressure	0	<u>L13</u>
<u>L12</u>	175/\$.ccls. and L11	0	<u>L12</u>
<u>L11</u>	sustained casing annulus pressure or SCP	3645	<u>L11</u>
<u>L10</u>	viscosified and L9	2	<u>L10</u>
<u>L9</u>	treat\$4 and L8	39	<u>L9</u>
<u>L8</u>	brine and L7	48	<u>L8</u>
<u>L7</u>	l3 and L6	79	<u>L7</u>
<u>L6</u>	acrylonitrile or vinyl acetate or vinyl alchol or L5	410767	<u>L6</u>
<u>L5</u>	gum or sclerogucan or cellulose or starch or ethylene glycol or diallyl amine, or acrylamide or aminomethylpropylsulfonate or acrylonitrile	390193	<u>L5</u>
<u>L4</u>	viscosified brine and L3	1	<u>L4</u>

L3 casing annulus and pressure and control  
L2 sustain\$3 and L1  
L1 casing annulus pressure

773 L3  
5 L2  
71 L1

END OF SEARCH HISTORY

# Refine Search

## Search Results -

Terms	Documents
annulus pressure and L1	10

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

## Search History

DATE: Thursday, March 03, 2005   [Printable Copy](#)   [Create Case](#)

Set Name	Query	Hit Count	Set Name
side by side			result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L2</u>	annulus pressure and L1	10	<u>L2</u>
<u>L1</u>	166/403.ccls. or 166/272.4.ccls. or 166/292.ccls. or 166/295.ccls. or 175/72.ccls.	2065	<u>L1</u>

END OF SEARCH HISTORY

# Refine Search

## Search Results -

Terms	Documents
treat\$4 and L8	39

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

viscosified and L9

Recall Text

Clear

Interrupt

Refine Search

## Search History

DATE: Thursday, March 03, 2005

[Printable Copy](#)

[Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L9</u>	treat\$4 and L8	39	<u>L9</u>
<u>L8</u>	brine and L7	48	<u>L8</u>
<u>L7</u>	l3 and L6	79	<u>L7</u>
<u>L6</u>	acrylonitrile or vinyl acetate or vinyl alchol or L5	410767	<u>L6</u>
<u>L5</u>	gum or sclerogucan or cellulose or starch or ethylene glycol or diallyl amine, or acrylamide or aminomethylpropylsulfonate or acrylonitrile	390193	<u>L5</u>
<u>L4</u>	viscosified brine and L3	1	<u>L4</u>
<u>L3</u>	casing annulus and pressure and control	773	<u>L3</u>
<u>L2</u>	sustain\$3 and L1	5	<u>L2</u>
<u>L1</u>	casing annulus pressure	71	<u>L1</u>

END OF SEARCH HISTORY